



Essentials Pipe Fabrication Quality Plan Sample

Selected pages not a complete plan

**Includes Standards and Forms for and Process
and Power Piping**

Contact:

First Time Quality

410-451-8006

Questions? Call First Time Quality 410-451-8006

[ImagePlaceholder]

[CompanyName]

**Pipe Fabrication and Welding
Quality Assurance/Quality Control Plan**

[ProjectName]

[ProjectNumber]

Effective Date: [Date]

Version	Version notes
[Date]	Initial issue

Approved

[QualityManagerName], Quality Manager

Documents provided by [CompanyName] disclose proprietary information as well as copyright information registered with the U.S. Patent and Trademark Office. Please hold these documents in confidence and do not share them with other organizations, even if you do not charge a fee. Submittal of documents does not transfer copyright ownership.

PROJECT-SPECIFIC WELDING QUALITY PLAN

TABLE OF CONTENTS

Background Information	4
Customer	4
Project Name	4
Project Number	4
Project Location	4
Overall Project Description	4
[CompanyName] Scope of Work	4
A. [CompanyName] Quality Policy	5
B. Key Elements of the Weld Quality Plan	6
C. Project Quality Coordination and Communication	9
D. Project QC Personnel	13
Project QC Job Position Assignments	13
Duties, Responsibilities, and Authority of QC Personnel	13
Quality Responsibilities	13
Project QC Organization Chart	16
E. Personnel Qualifications and Technical Certifications	17
Personnel Certification and Qualification Requirements	18
Training	22
F. Qualification of Third Party Inspection/Testing Companies and Subcontractors and Suppliers	24
Qualification of Testing Laboratories	24
G. Weld Project Quality Specifications	26
Compliance with Industry Welding Standards	26
Project - Specific Welding Procedure Standards	27
H. Material Traceability	30
Identification of Lot Controlled Materials	30
I. Weld Inspection and Test Plan	33
Welding Inspection and Testing Standards	34
Control of Inspection, Measuring, and Test Equipment	34
J. Welding Work Task Quality Inspections	37
Work Tasks Series of Inspections	37
Daily Quality Control Report	37
K. Quality Control of Corrections, Repairs, and Nonconformances	44
L. Project Completion Inspections	46
M. Quality Assurance Surveillance	48
N. Control of Quality Records and Documents	50

Questions? Call First Time Quality 410-451-8006

O. Servicing and Warranty 51

Selected Pages

BACKGROUND INFORMATION

CUSTOMER

[CustomerName]

PROJECT NAME

[ProjectName]

PROJECT NUMBER

[ProjectNumber]

PROJECT LOCATION

[Insert Location of Project Work Here]

OVERALL PROJECT DESCRIPTION

[Insert Overall Project Description Here]

[COMPANYNAME] SCOPE OF WORK

[Insert Scope of Work for This Contract Here]

Selected Pages

G. WELD PROJECT QUALITY SPECIFICATIONS

Fulfilling customer contract expectations is a primary objective of the [CompanyName] Quality System. To ensure that customer expectations will be fulfilled, [CompanyName] clearly defines the requirements for each contract before it is approved.

The Project Manager ensures that the information in customer contracts clearly defines customer expectations and that the necessary details are provided to set requirements for pipe fabrication.

[CompanyName] personnel and subcontractors and suppliers are accountable for compliance to standards-based written specifications.

To achieve expectations reliably and consistently, specifications are clearly spelled out, not only for results but also for processes. Specifications apply to materials, work steps, qualified personnel and subcontractors and suppliers, safe work rules, and environmental work conditions.

Standards ensure that results are specified rather than left to discretionary practices.

All [CompanyName] pipe fabrication activities comply with generally accepted good workmanship practices and industry standards.

COMPLIANCE WITH INDUSTRY WELDING STANDARDS

Codes that may apply to this project include those listed below.

Regulatory Codes and Industry Standards			
Division	Description	Reference Standard No.	Reference Standard Title
5	Minimum spacings and edge distances for screws	AISI SG02-KIT	North American Specification for the Design of Cold-Formed Steel Structural Members
5	Installation of bracing and permanent bracing and bridging	CFSEI	Field Installation Guide for Cold-Formed Steel Roof Trusses
5	Installation of chimneys, vents, and smokestacks	NFPA 211	Standard for Chimneys, Fireplaces, Vents, and Solid Fuel-Burning Appliances
5	Framing and reinforcing openings through a steel deck	SDI DDP	Deck Damage and Penetrations
5	Install high-strength bolts		RCSC's "Specification for Structural Joints Using ASTM A 325 or A 490 Bolts"
5	Beveling, alignment, heat treatment, and inspection of weld	ASME B31.1	Power Piping
5	Requirements for piping of fluids	ASME B31.3	Process Piping

PROJECT - SPECIFIC WELDING PROCEDURE STANDARDS

The Quality Manager approves welding procedures before they can be used to fabricate metal.

Records of approved welding procedures are maintained on Form QW-483 Welding Procedure Qualification Record, included as an exhibit.

Welding procedures shall be qualified and approved, in accordance with the applicable ASME Welding Code(s) or Specification(s) (i.e., D1.1., D1.5) or AWS B2.1, Specification for Welding Procedure and Performance Qualification.

The welding procedure must identify the filler material.

When the governing ASME Welding Code(s) mandates that welding procedures be qualified by test, the Welding Fabricator shall have PQRs that support the applicable WPSs. When prequalified WPSs or Standard Welding Procedure Specifications (SWPSs) published by the ASME are permitted, PQRs are not required.

The Quality Manager or Certified Welding Inspector (CWI) reviews and approves the welding procedure before being used in production welding operations.

The WPSs and PQRs are controlled by the Quality Manager according by the document and record control procedures specified in the relevant section of this Quality Manual.

The applicable WPSs shall be available to welders or welding operators during testing and production welding.

Selected Pages

Form QW-483 Welding Procedure Qualification Record

QW-483 SUGGESTED FORMAT FOR PROCEDURE QUALIFICATION RECORDS (PQR) (See QW-200.2, Section IX, ASME Boiler and Pressure Vessel Code) Record Actual Variables Used to Weld Test Coupon																																								
Company Name _____ Procedure Qualification Record No. _____ Date _____ WPS No. _____ Welding Process(es) _____ Types (Manual, Automatic, Semi-Automatic) _____																																								
JOINTS (QW-402)																																								
Groove Design of Test Coupon (For combination qualifications, the deposited weld metal thickness shall be recorded for each filler metal and process used.)																																								
BASE METALS (QW-403) Material Spec. _____ Type/Grade, or UNS Number _____ P-No. _____ Group No. _____ to P-No. _____ Group No. _____ Thickness of Test Coupon _____ Diameter of Test Coupon _____ Maximum Pass Thickness _____ Other _____	POSTWELD HEAT TREATMENT (QW-407) Temperature _____ Time _____ Other _____																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 30%;">FILLER METALS (QW-404)</th> <th colspan="2" style="text-align: center;">Percent Composition</th> </tr> <tr> <th style="width: 30%;">Gas(es)</th> <th style="width: 30%;">(Mixture)</th> <th style="width: 10%;">Flow Rate</th> </tr> </thead> <tbody> <tr> <td>Shielding</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Trailing</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Backing</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Other</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>	FILLER METALS (QW-404)	Percent Composition		Gas(es)	(Mixture)	Flow Rate	Shielding	_____	_____	_____	Trailing	_____	_____	_____	Backing	_____	_____	_____	Other	_____	_____	_____	GAS (QW-408) Shielding _____ Trailing _____ Backing _____ Other _____																	
FILLER METALS (QW-404)		Percent Composition																																						
	Gas(es)	(Mixture)	Flow Rate																																					
Shielding	_____	_____	_____																																					
Trailing	_____	_____	_____																																					
Backing	_____	_____	_____																																					
Other	_____	_____	_____																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">FILLER METALS (QW-404)</th> <th style="width: 30%;">1</th> <th style="width: 30%;">2</th> </tr> </thead> <tbody> <tr> <td>SFA Specification</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>AWS Classification</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Filler Metal F-No.</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Weld Metal Analysis A-No.</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Size of Filler Metal</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Filler Metal Product Form</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Supplemental Filler Metal</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Electrode Flux Classification</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Flux Type</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Flux Trade Name</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Weld Metal Thickness</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Other</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>	FILLER METALS (QW-404)	1	2	SFA Specification	_____	_____	AWS Classification	_____	_____	Filler Metal F-No.	_____	_____	Weld Metal Analysis A-No.	_____	_____	Size of Filler Metal	_____	_____	Filler Metal Product Form	_____	_____	Supplemental Filler Metal	_____	_____	Electrode Flux Classification	_____	_____	Flux Type	_____	_____	Flux Trade Name	_____	_____	Weld Metal Thickness	_____	_____	Other	_____	_____	ELECTRICAL CHARACTERISTICS (QW-409) Current _____ Polarity _____ Amps. _____ Volts _____ Tungsten Electrode Size _____ Mode of Metal Transfer for GMAW (FCAW) _____ Heat Input _____ Other _____
FILLER METALS (QW-404)	1	2																																						
SFA Specification	_____	_____																																						
AWS Classification	_____	_____																																						
Filler Metal F-No.	_____	_____																																						
Weld Metal Analysis A-No.	_____	_____																																						
Size of Filler Metal	_____	_____																																						
Filler Metal Product Form	_____	_____																																						
Supplemental Filler Metal	_____	_____																																						
Electrode Flux Classification	_____	_____																																						
Flux Type	_____	_____																																						
Flux Trade Name	_____	_____																																						
Weld Metal Thickness	_____	_____																																						
Other	_____	_____																																						
POSITION (QW-405) Position of Groove _____ Weld Progression (Uphill, Downhill) _____ Other _____	TECHNIQUE (QW-410) Travel Speed _____ String or Weave Bead _____ Oscillation _____ Multipass or Single Pass (Per Side) _____ Single or Multiple Electrodes _____ Other _____																																							
PREHEAT (QW-406) Preheat Temperature _____ Interpass Temperature _____ Other _____																																								

07/10

QW-483 (Back)

Tensile Test (QW-150) PQR No. _____

Specimen No.	Width	Thickness	Area	Ultimate Total Load	Ultimate Unit Stress, (psi or MPa)	Type of Failure and Location

Guided-Bend Tests (QW-160)

Type and Figure No.	Result

Toughness Tests (QW-170)

Specimen No.	Notch Location	Specimen Size	Test Temperature	Impact Values			Drop Weight Break (Y/N)
				ft-lb or J	% Shear	Mils (in.) or mm	

Comments _____

Fillet-Weld Test (QW-180)

Result — Satisfactory: Yes No Penetration into Parent Metal: Yes No

Macro — Results _____

Other Tests

Type of Test _____

Deposit Analysis _____

Other _____

Welder's Name _____ Clock No. _____ Stamp No. _____

Tests Conducted by _____ Laboratory Test No. _____

We certify that the statements in this record are correct and that the test welds were prepared, welded, and tested in accordance with the requirements of Section IX of the ASME Boiler and Pressure Vessel Code.

Manufacturer or Contractor _____

Date _____ Certified by _____

(Detail of record of tests are illustrative only and may be modified to conform to the type and number of tests required by the Code.)

03/08

<http://files.asme.org/asmearg/Codes/Publications/BPVC/14033.pdf>

H. MATERIAL TRACEABILITY

Products and materials are controlled to assure the use of only correct and acceptable items. Controls include identification of the inspection status. Materials that require lot control traceability and the method of traceability are listed on the Controlled Materials form included as an exhibit in this subsection.

IDENTIFICATION OF LOT CONTROLLED MATERIALS

The Quality Manager determines types of project materials that require quality controls.

For each type of quality controlled material, the Quality Manager determines lot control traceability requirements, if any, and specifies the means of lot identification. Identification methods may include physical labels, tags, markings and/or attached certification documents.

When lot controlled materials are received, the Superintendent verifies that materials have the specified lot identifications.

The Superintendent maintains lot identification at all production phases from receipt, through production, installation, or assembly, to final completion. Acceptable methods for preserving lot identification include physically preserving observable lot identifications, recording the lot identification on a work task quality inspection form or other work record, or collecting the physical lot identifier as a record along with supplemented with location.

If lot controlled materials are without lot identification, the Superintendent deems the materials as nonconforming and segregates them and/or clearly marks them to prevent inadvertent use. The Superintendent treats the material according to the company policy for nonconformances. Only the Quality Manager can re-identify or re-certify the materials.

Selected Pages

[CompanyName] Material Inspection and Receiving Report <small>Version 20150308</small>								
Contract ID	Contract Name	Purchase Order No.	Supplier			Bill of Lading No.	Date	
[ProjectNumber]	[ProjectName]							
Item No.	Stock/Part No.	Description	Quantity Received	Condition	Marking	Accept	Conditional Use	Reject
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Receiving Quality Control								
<p>ACCEPTANCE</p> <p>Listed items have been accepted by me or under my supervision</p> <p><input type="checkbox"/> Conform to contract specifications EXCEPT as noted herein or on supporting documents.</p> <p><input type="checkbox"/> Received in apparent good condition EXCEPT as noted</p> <p>Signature of authorized person and date: _____</p>								
<p>EXCEPTIONS:</p>								

J. WELDING WORK TASK QUALITY INSPECTIONS

[CompanyName] identifies a list of work tasks, phases of production, which will be quality controlled.

WORK TASKS SERIES OF INSPECTIONS

Each work Task is subject to a series of inspections; before, during, and after the work is complete. Each inspection verifies compliance with full scope of the relevant specifications; not limited to checkpoints for heightened awareness.

- The initial task-ready inspection occurs when crews are ready to start work and ensures that work begins only when it does not adversely impact quality results.
- Incoming material inspections verify that materials are as specified and meet all requirements necessary to assure quality results.
- Work-in-process inspections continuously verify that work conforms to project specifications and workmanship expectations. Work continues only when it does not adversely impact quality results.
- At completion of the Task an inspection verifies that work, materials, and tests have been completed in accordance with project quality requirements. When appropriate, functional tests are performed.

Inspection results are recoded and maintained as part of the project files.

SPECIAL PROCESS INSPECTIONS

The Quality Manager identifies special processes where the results cannot be verified by subsequent inspection or testing and determines if continuous work in process inspections are required. For these special processes, a qualified inspector continuously inspects the work process.

MATERIAL QUALITY INSPECTION AND TESTS

Material quality inspections and tests ensure that purchased materials meet purchase contract quantity and quality requirements.

DAILY QUALITY CONTROL REPORT

The Superintendent records a summary of daily work activities. The report will include:

- Schedule Activities Completed
- General description of work activities in progress.
- Problems encountered, actions taken, problems, and delays
- Meetings held, participants, and decisions made
- Subcontractor and Supplier and Company Crews on site
- Visitors and purpose
- General Remarks
- Improvement Ideas
- Weather conditions

Form P-4A Welded Piping Inspection

FORM P-4A MANUFACTURER'S DATA REPORT FOR FABRICATED PIPING As Required by the Provisions of the ASME Code Rules, Section I	
1. Manufactured by _____ <small>(Name and address of manufacturer)</small>	Order No. _____ P-4A ID No. _____
2. Manufactured for _____ <small>(Name and address of purchaser)</small>	Order No. _____
3. Location of installation _____	Boiler Registration No. _____
4. Identification _____ <small>(Main steam, boiler feed, blow-off, or other service piping — state which)</small>	Piping Registration No. _____
5. Design Conditions of Piping _____ <small>(Pressure)</small> _____ <small>(Temperature)</small> . Specified by _____ <small>(Name of Co.)</small>	
Code Design by _____	
6. The chemical and physical properties of all piping meet the requirements of material specifications of the ASME BOILER AND PRESSURE VESSEL CODE. The construction and workmanship conform to Section I of the ASME BOILER AND PRESSURE VESSEL CODE _____ <small>(Year)</small>	
Addenda to _____ <small>(Date)</small> (if applicable), and Code Cases _____ <small>(Numbers)</small>	
7. Description of Piping (include material identifications by ASME specification or other recognized Code designation)	
8. Shop Hydrostatic Test _____	
9. Remarks	
CERTIFICATE OF SHOP COMPLIANCE	
We certify the statement in this data report to be correct and that all details of design, material, construction, and workmanship of the described piping conform to Section I of the ASME BOILER AND PRESSURE VESSEL CODE.	
Our Certificate of Authorization No. _____ to use the (S) or (PP) Designator _____ Expires _____	
Date _____ <small>(mm/dd/yyyy)</small>	Signed _____ <small>(Manufacturer or Fabricator)</small> by _____ <small>(Authorized Representative)</small>
CERTIFICATE OF SHOP INSPECTION	
I, the undersigned, holding a valid commission issued by the National Board of Boiler and Pressure Vessel Inspectors and employed by _____ have inspected the piping described in this Manufacturer's Data Report and state that, to the best of my knowledge and belief, the manufacturer has constructed this piping in accordance with the applicable sections of the ASME BOILER AND PRESSURE VESSEL CODE.	
By signing this certificate, neither the Inspector nor his employer makes any warranty, expressed or implied, concerning the piping described in this Manufacturer's Data Report. Furthermore, neither the Inspector nor his employer shall be liable in any manner for any personal injury or property damage or a loss of any kind arising from or connected with this inspection.	
Date _____ <small>(mm/dd/yyyy)</small>	Commission _____ <small>(National Board Commission Number and Endorsement)</small>
<small>(Authorized Inspector)</small>	

(07/11)

FORM P-4A

P-4A ID No. _____

10. Description of Field Fabrication

11. Field Hydrostatic Test _____ .

CERTIFICATE OF FIELD FABRICATION COMPLIANCE

We certify the statement in this data report to be correct and that all details of design, material, construction, and workmanship of the described piping conform to Section I of the ASME BOILER AND PRESSURE VESSEL CODE.

Our Certificate of Authorization No. _____ to use the (S) or (PP) Designator expires _____ .

Date _____ Signed _____ Name _____
(mm/dd/yyyy) (Authorized Representative) (Fabricator)

CERTIFICATE OF FIELD ASSEMBLY COMPLIANCE

We certify that the field assembly of the described piping conforms with the requirements of Section I of the ASME BOILER AND PRESSURE VESSEL CODE. Our Certificate of Authorization No. _____ to use the (A), (S), or (PP) Designator expires _____ .

Date _____ Signed _____ Name _____
(mm/dd/yyyy) (Authorized Representative) (Assembler)

CERTIFICATE OF FIELD ASSEMBLY INSPECTION

I, the undersigned, holding a valid commission issued by the National Board of Boiler and Pressure Vessel Inspectors and employed by _____ have compared the statements in this Manufacturer's Data Report with the described piping and state that the parts referred to as Data Items _____, not included in the Certificate of Shop Inspection, have been inspected by me and that, to the best of my knowledge and belief, the manufacturer and/or assembler has constructed and assembled this piping in accordance with the applicable sections of the ASME BOILER AND PRESSURE VESSEL CODE. The described piping was inspected and subjected to a hydrostatic test of _____ .

By signing this certificate, neither the Inspector nor his employer makes any warranty, expressed or implied, concerning the piping described in this Manufacturer's Data Report. Furthermore, neither the Inspector nor his employer shall be liable in any manner for any personal injury or property damage or a loss of any kind arising from or connected with this inspection.

Date _____
(mm/dd/yyyy)

_____ Commission _____
(Authorized Inspector) [National Board Commission Number and Endorsement]

<http://files.asme.org/asmeorg/Codes/Publications/BPVC/10716.pdf>

Form P-4B Assembled Piping Inspection

FORM P-4B MANUFACTURER'S DATA REPORT FOR FIELD INSTALLED MECHANICALLY ASSEMBLED PIPING
As Required by the Provisions of the ASME Code Rules, Section I

1. Manufactured by _____ Order No. _____ P-4B ID No. _____
(Name and address of manufacturer)

2. Manufactured for _____ Order No. _____
(Name and address of purchaser)

3. Location of Installation _____ Boiler Registration No. _____

4. Identification _____ Piping Registration No. _____
(Main steam, boiler feed, blow-off, or other service piping — state which)

5. Design Conditions of Piping _____ Specified by _____
(Pressure) (Temperature) (Name of Co.)
Code Design by _____

6. The chemical and physical properties of all piping meet the requirements of material specifications of the ASME BOILER AND PRESSURE VESSEL CODE. The construction and workmanship conform to Section I of the ASME BOILER AND PRESSURE VESSEL CODE _____
Addenda to _____ (if applicable), and Code Cases _____
(Date) (Numbers) (Year)

7. Description of Piping (include material identifications by ASME specification or other recognized Code designation)

8. Field Hydrostatic Test _____

9. Remarks _____

CERTIFICATE OF FIELD ASSEMBLY COMPLIANCE

We certify that the field assembly of the described piping conforms with the requirements of Section I of the ASME BOILER AND PRESSURE VESSEL CODE. Our Certificate of Authorization No. _____ to use the (A), (S), or (PP) Designator expires _____

Date _____ Signed _____ Name _____
(mm/dd/yyyy) (Authorized Representative) (Assembler)

CERTIFICATE OF FIELD ASSEMBLY INSPECTION

I, the undersigned, holding a valid commission issued by the National Board of Boiler and Pressure Vessel Inspectors and employed by _____ have compared the statements in this Manufacturer's Data Report with the described piping and state that the parts referred to as Data Items _____ have been inspected by me and that, to the best of my knowledge and belief, the manufacturer and/or assembler has assembled this piping in accordance with the applicable sections of the ASME BOILER AND PRESSURE VESSEL CODE. The described piping was inspected and subjected to a test of _____

By signing this certificate, neither the Inspector nor his employer makes any warranty, expressed or implied, concerning the piping described in this Manufacturer's Data Report. Furthermore, neither the Inspector nor his employer shall be liable in any manner for any personal injury or property damage or a loss of any kind arising from or connected with this inspection.

Date _____
(mm/dd/yyyy)

(Authorized Inspector) Commission _____
[National Board Commission Number and Endorsement]

(07/11)

<http://files.asme.org/asmeorg/Codes/Publications/BPVC/10717.pdf>

Questions? Call First Time Quality 410-451-8006



**For More Information:
Contact: FirstTimeQuality**

410-451-8006

www.FirstTimeQuality.com

EdC@FirstTimeQuality.com

For More Information, contact: CaldeiraQuality, LLC • First TimeQualitySM.
410-451-8006 • www.firsttimequality.com • EdC@FirstTimeQuality.com